

PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2019/01/30

n. 158190501/OE

Validity: 2024/01/29

This Certificate cancels & replaces the previous one n° 15814208/OE dated 2014/05/13

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

| Manufacturer: | GRISPORT SpA calzaturificio | |
|-----------------------------|---|--------------------------|
| (Responsible of the PPE) | 31030 CASTELCUCCO (TV) – Via Erega, 1 – ITALIA | |
| , | | |
| Type of PPE: | Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear i other materials) | n leather and |
| Category of PPE: | II : "medium" risks. This certificate is based on reference standards listed below: its validity is | no l <mark>ong</mark> er |
| | ensured should new version of the standards come into force. | |
| Model | "33257-72457" | material code |
| Description: | <u>model</u> : B (ankle shoe); <u>fastening system</u> : absent (tubular shape with lateral elastic-bands); processing: direct injection; | |
| | outsole: black rubber marked "SAFETY VERA GOMMA MADE IN ITALY HRO OIL RESISTANT ANTISTATIC ABS ANTI SHOCK"; | 022/ 1/00 2142BBCP/00 |
| | <u>midsole</u> : foamed PU in coffie colour; <u>upper</u> : black leather Dakar Trekking", declared thickness 2,0/2,2 with | MPI/001 DAC/NER |
| 0 | lateral inserts in black rigid elastic, art. 460; | EL8/N11 |
| | vamp lining: col. black art. "Aitelle 150"; | FCA/NEC |
| | guarter lining: black lining "AT 488 special"; | A8S/ <mark>NER</mark> |
| | <u>collar lining</u> : piglet leather in "otter" col.; | MAI <mark>/LO</mark> N |
| | heel-seat lining: inside-out piglet leather in "otter" col.; | MAI/LONR |
| | insole: white multilayer fabric "ZP01/1500", which also serves as penetration-resistant insert; | LC/ZP01 |
| | removable insock: grey perforated foamed material with aluminum oval insert stitched to the forepart and insert in the heel in red foamed | FTNAROA |
| | material matched with black textile in contact with the foot; <u>toecap</u> : painted steel, reinforced and perforated, art. "SAFIT 604FR". | 604ACRF |
| Technical Standard: | EN ISO 20344:2011 Personal protective equipment – Test methods for footwear (UNI EN ISO 20344:2012) | |
| | EN ISO 20345:2011 Personal protective equipment – Safety foo (UNI EN ISO 20345:2012) | twear |
| ntended use: | general industry, engineering industry, agriculture, warehouses, works on | trucks, cranes. |
| Size range: | from 39 to 47 | |
| Technical File: | DC-9526/E + DC-6494 | |
| Test report: | RCT n°330714.01/E | |
| | | |





PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Validity: Date: 2019/01/30 n. 158190501/OE 2024/01/29 basic requirements for safety footwear (see Table 2 and 3 of EN ISO 20345:2011): all Functions and performance levels: mandatory ones, among which: SRC (*) = Slip resistance – meets the following requirement: surface: ceramic / lubricant: detergent solution; surface: steel / lubricant: glycerol. Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011): S3 = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil, water penetration resistance and absorption (water-repellent upper), penetration resistance, cleated outsole; **HI =** heat insulation; **HRO =** resistance to hot contact of the outsole. (*) the final level of the anti-slip features is achieved after the first hours of trial stage. Note: the penetration resistance of the synthetic stitch proof insole tends to decrease with the diameter of the perforating object; in return the synthetic insole offers more protective surface and ergonomics advantages (flexibility, insulation, humidity and impact absorption). Marking: on a stitched label and containing the following information: - CE Markina: - name of the manufacturer (printed on the footwear); designation of the footwear; Standard of reference + safety symbols; size of footwear (also printed in the outsole); month and year of production (also printed in the outsole with clock indicator); additional info: internal code etc. CE UNI EN ISO 20345:2012 02 / 2014 33257-72457 \$3 HRO HI SRC XXXXXX 72913CD15 42

NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

